INDEX TO AUTHORS

AHRENS, EDWARD H., JR., and KUNKEL, HENRY G. The stabilization of serum lipid emulsions by serum phospholipids, 409

ARNAUD, LOUIS E. See RAFFEL, ARNAUD, DUKES, and HUANG, 53

BAILEY, ORVILLE T., PAPPENHEIMER, ALWIN M., CHEEVER, F. SARGENT, and DANIELS, JOAN B. A murine virus (JHM) causing disseminated encephalomyelitis with extensive destruction of myelin. II. Pathology, 195

—. See CHEEVER, DANIELS, PAPPENHEIMER, and BAILEY, 181

BALE, W. F., YUILE, C. L., DELAVERGNE, L., MILLER, L. L., and WHIPPLE, GEORGE H. Hemoglobin labeled by radioactive lysine. Erythrocyte life cycle, 315

—. See MILLER, BALE, YUILE, MASTERS, TISHKOFF, and WHIPPLE, 297

BATSON, H. C. The relative significance of graded immunizing and challenge doses in measuring the potency of vaccines. A study of mouse protection by typhoid vaccine, 233

BENNETT, IVAN L., JR., WAGNER, ROBERT R., and LEQUIRE, VIRGIL S. The production of fever by influenzal viruses. II. Tolerance in rabbits to the pyrogenic effect of influenzal viruses, 335

—. See WAGNER, BENNETT, and LEQUIRE, 321

BERNHEIMER, ALAN W. Formation of a bacterial toxin (streptolysin S) by resting cells, 373

BLY, C. G. See YUILE, BLY, STEWART, IZZO, WELLS, and WHIPPLE, 273

BRINKHOUS, KENNETH M. See GRAHAM, BUCKWALTER, HARTLEY, and BRINKHOUS, 97

BUCKWALTER, JOSEPH A. See GRAHAM, BUCKWALTER, HARTLEY, and BRINKHOUS, 97

CHEEVER, F. SARGENT, DANIELS, JOAN B., PAPPENHEIMER, ALWIN M., and BAILEY, ORVILLE T. A murine virus (JHM) causing disseminated encephalomyelitis with extensive destruction of myelin. I. Isolation and biological properties of the virus, 181

—. See BAILEY, PAPPENHEIMER, CHEEVER, and DANIELS, 195

COON, R. W. See HAWKINS, HANSON, COON, and TERRY, 461

DANIELS, JOAN B. See BAILEY, PAPPENHEIMER, CHEEVER, and DANIELS, 195

—. See CHEEVER, DANIELS, PAPPENHEIMER, and BAILEY, 181

DAVISON, CLARKE. See MILLER, DAVISON, and SMITH, 525

DELAVERGNE, L. See BALE, YUILE, DELAVERGNE, MILLER, and WHIPPLE, 315

DE ROBERTIS, E. An electron microscope analysis of nerves infected with the B virus, 291

— and SCHMITT, F. O. An electron microscope study of nerves infected with human poliomyelitis virus, 283

DETHIER, FRANCES M. See SOLOMON, GARDELLA, FANGER, DETHIER, and FERREBEE, 267

DRABKIN, DAVID L. See EHRICH, DRABKIN, and FORMAN, 157

DUKES, C. DEAN. See RAFFEL, ARNAUD, DUKES, and HUANG, 53

EAGLE, HARRY. The effect of the size of the inoculum and the age of the infection on the curative dose of penicillin in experimental infec-

tions with streptococci, pneumococci, and *Treponema pallidum*, 595

EHRICH, WILLIAM E., DRABKIN, DAVID L., and FORMAN, CAROLYN. Nucleic acids and the production of antibody by plasma cells, 157

FANGER, HERBERT. See SOLOMON, GARDELLA, FANGER, DETHIER, and FERREBEE, 267

FERREBEE, JOSEPH W. See SOLOMON, GARDELLA, FANGER, DETHIER, and FERREBEE, 267

FINCH, CLEMENT A. See HEGSTED, FINCH, and KINNEY, 147

—. See KINNEY, HEGSTED, and FINCH, 137

FORMAN, CAROLYN. See EHRICH, DRABKIN, and FORMAN, 157

GARDELLA, JOSEPH W. See SOLOMON, GARDELLA, FANGER, DETHIER, and FERREBEE, 267

GINSBERG, HAROLD S., and HORSFALL, FRANK L., JR. A labile component of normal serum which combines with various viruses. Neutralization of infectivity and inhibition of hemagglutination by the component, 475

— and —. A resistant variant of mumps virus. Multiplication of the variant in the presence of inhibitory quantities of Friedländer bacillus polysaccharide, 393

GOEBEL, WALTHER F. See MILLER and GOEBEL, 255

GOLDBLATT, HARRY. See GYÖRGY and GOLDBLATT, 73

GRAHAM, JOHN B., BUCKWALTER, JOSEPH A., HARTLEY, L. J., and BRINKHOUS, KENNETH M. Canine hemophilia. Observations on the course, the clotting anomaly, and the effect of blood transfusions, 97

GYÖRGY, PAUL, and GOLDBLATT, HARRY. Treatment of experimental dietary cirrhosis of the liver in rats, 73

HANSON, P. C. See HAWKINS, HANSON, COON, and TERRY, 461

HARRIS, SUSANNA. See HARRIS and HARRIS, 169

HARRIS, T. N., and HARRIS, SUSANNA. Histochemical changes in lymphocytes during the production of antibodies in lymph nodes of rabbits, 169

HARTLEY, L. J. See GRAHAM, BUCKWALTER, HARTLEY, and BRINKHOUS, 97

HAWKINS, W. B., HANSON, P. C., COON, R. W., and TERRY, R. Bile salt metabolism as influenced by pure amino acids and casein digests, 461

HAWN, CLINTON VAN ZANDT. See PORTER and HAWN, 225

HEGSTED, D. MARK, FINCH, CLEMENT A., and KINNEY, THOMAS D. The influence of diet on iron absorption. II. The interrelation of iron and phosphorus, 147

—. See KINNEY, HEGSTED, and FINCH, 137

HENLE, GERTRUDE. See HENLE and HENLE, 23

HENLE, WERNER. Studies on host-virus interactions in the chick embryo–influenza virus system. I. Adsorption and recovery of seed virus, 1

—. II. The propagation of virus in conjunction with the host cells, 13

— and HENLE, GERTRUDE. Studies on host-virus interactions in the chick embryo–influenza virus system. III. Development of infectivity, hemagglutination, and complement fixation activities during the first infectious cycle, 23

HODES, HORACE L. See LIGHT and HODES, 113

HORSFALL, FRANK L., JR. See GINSBERG and HORSFALL, 393, 475

HUANG, JWO S. See RAFFEL, ARNAUD, DUKES, and HUANG, 53

HYATT, ROBERT E. See MCKEE, HYATT, WILT, TISHKOFF, and WHIPPLE, 447

IZZO, A. J. See YUILE, BLY, STEWART, IZZO, WELLS, and WHIPPLE, 273

KATZ, L. N. See STAMLER, KATZ, and RODBARD, 511
KINNEY, THOMAS D., HEGSTED, D. MARK, and FINCH, CLEMENT A. The influence of diet on iron absorption. I. The pathology of iron excess, 137
—. See HEGSTED, FINCH, and KINNEY, 147
KRUSE, HEINZ, and MCMASTER, PHILIP D. The distribution and storage of blue antigenic azo proteins in the tissues of mice, 425
KUNKEL, HENRY G. See AHRENS and KUNKEL, 409

LEQUIRE, VIRGIL S. See BENNETT, WAGNER, and LEQUIRE, 335
—. See WAGNER, BENNETT, and LEQUIRE, 321
LESH, JAMES B. See WISSLER, SMULL, and LESH, 577
LIGHT, JACOB S., and HODES, HORACE L. Isolation from cases of infantile diarrhea of a filtrable agent causing diarrhea in calves, 113

MASTERS, R. E. See MILLER, BALE, YUILE, MASTERS, TISHKOFF, and WHIPPLE, 297
MCCARTY, MACLYN. The inhibition of streptococcal desoxyribonuclease by rabbit and human antisera, 543
MCKEE, FRANK W., HYATT, ROBERT E., WILT, WILLIAM G., JR., TISHKOFF, GARSON H., and WHIPPLE, GEORGE H. Protein metabolism and exchange as influenced by constriction of the vena cava. II. Effects of parenterally administered plasma, amino acid mixture, and ascitic fluid, and of orally administered ascitic fluid in the experimental ascitic dog, 447
MCMASTER, PHILIP D. See KRUSE and MCMASTER, 425
MILLER, ELIZABETH M., and GOEBEL, WALTHER F. Studies on bacteriophage. I. The relationship between the somatic antigens of *Shigella sonnei* and their susceptibility to bacterial viruses, 255
MILLER, L. L., BALE, W. F., YUILE, C. L., MASTERS, R. E., TISHKOFF, GARSON H., and WHIPPLE, GEORGE H. The use of radioactive lysine in studies of protein metabolism. Synthesis and utilization of plasma proteins, 297
—. See BALE, YUILE, DELAVERGNE, MILLER, and WHIPPLE, 315
MILLER, ZELMA BAKER, DAVISON, CLARKE, and SMITH, PAUL K. The effect of podophyllotoxin on tissue metabolism and enzyme systems, 525
MIST, SHIRLEY H. See UNGAR and MIST, 39

OLITSKY, PETER K., and YAGER, ROBERT H. Experimental disseminated encephalomyelitis in white mice, 213

PAPPENHEIMER, ALWIN M. See BAILEY, PAPPENHEIMER, CHEEVER, and DANIELS, 195
—. See CHEEVER, DANIELS, PAPPENHEIMER, and BAILEY, 181
PORTER, KEITH R., and HAWN, CLINTON VAN ZANDT. Sequences in the formation of clots from purified bovine fibrinogen and thrombin: a study with the electron microscope, 225

RAFFEL, SIDNEY, ARNAUD, LOUIS E., DUKES, C. DEAN, and HUANG, JWO S. The rôle of the "wax" of the tubercle bacillus in

establishing delayed hypersensitivity. II. Hypersensitivity to a protein antigen, egg albumin, 53

RODBARD, S. See STAMLER, KATZ, and RODBARD, 511

SABIN, ALBERT B. See STEIGMAN and SABIN, 349

SCHMITT, F. O. See DE ROBERTIS and SCHMITT, 283

SMITH, MARY RUTH. See WOOD and SMITH, 85

SMITH, PAUL K. See MILLER, DAVISON, and SMITH, 525

SMITH, RALPH O. Lymphatic contractility. A possible intrinsic mechanism of lymphatic vessels for the transport of lymph, 497

— and WOOD, W. BARRY, JR. Cellular mechanisms of antibacterial defense in lymph nodes. I. Pathogenesis of acute bacterial lymphadenitis, 555

— and —. II. The origin and filtration effect of granulocytes in the nodal sinuses during acute bacterial lymphadenitis, 567

SMULL, KATHARINE. See WISSLER, SMULL, and LESH, 577

SOLOMON, DAVID H., GARDELLA, JOSEPH W., FANGER, HERBERT, DETHIER, FRANCES M., and FERREBEE, JOSEPH W. Nephrotoxic nephritis in rats. Evidence for the glomerular origin of the kidney antigen, 267

STAMLER, J., KATZ, L. N., and RODBARD, S. Serial renal clearances in dogs with nephrogenic and spontaneous hypertension, 511

STEIGMAN, ALEX J., and SABIN, ALBERT B. Antibody response of patients with poliomyelitis to virus recovered from their own alimentary tract, 349

STEWART, W. B. See YUILE, BLY, STEWART, IZZO, WELLS, and WHIPPLE, 273

TERRY, R. See HAWKINS, HANSON, COON, and TERRY, 461

TISHKOFF, GARSON H. See MCKEE, HYATT, WILT, TISHKOFF, and WHIPPLE, 447

—. See MILLER, BALE, YUILE, MASTERS, TISHKOFF, and WHIPPLE, 297

UNGAR, GEORGES, and MIST, SHIRLEY H. Observations on the release of serum fibrinolysin by specific antigen, peptone, and certain polysaccharides, 39

WAGNER, ROBERT R., BENNETT, IVAN L., JR., and LEQUIRE, VIRGIL S. The production of fever by influenzal viruses. I. Factors influencing the febrile response to single injections of virus, 321

—. See BENNETT, WAGNER, and LEQUIRE, 335

WELLS, J. C. See YUILE, BLY, STEWART, IZZO, WELLS, and WHIPPLE, 273

WHIPPLE, GEORGE H. See BALE, YUILE, DELAVERGNE, MILLER, and WHIPPLE, 315

—. See MCKEE, HYATT, WILT, TISHKOFF, and WHIPPLE, 447

—. See MILLER, BALE, YUILE, MASTERS, TISHKOFF, and WHIPPLE, 297

—. See YUILE, BLY, STEWART, IZZO, WELLS, and WHIPPLE, 273

WILT, WILLIAM G., JR. See MCKEE, HYATT, WILT, TISHKOFF, and WHIPPLE, 447

WISSLER, ROBERT W., SMULL, KATHARINE, and LESH, JAMES B. The effects of various horse serum fractions in producing cardiovascular and renal lesions in rabbits, 577

WOOD, W. BARRY, JR., and SMITH, MARY RUTH. The inhibition of

surface phagocytosis by the capsular "slime layer" of Pneumococcus Type III, 85
WOOD, W. BARRY, JR. See SMITH and WOOD, 555, 567

YAGER, ROBERT H. See OLITSKY and YAGER, 213
YUILE, C. L., BLY, C. G., STEWART, W. B., IZZO, A. J., WELLS, J. C., and WHIPPLE, GEORGE H. Plasma and red cell radioiron following intravenous injection. Turpentine abscesses in normal and anemic dogs, 273
—. See BALE, YUILE, DELAVERGNE, MILLER, and WHIPPLE, 315
—. See MILLER, BALE, YUILE, MASTERS, TISHKOFF, and WHIPPLE, 297

INDEX TO SUBJECTS

ABSCESSES, turpentine, in normal and anemic dogs, plasma and red cell radioiron following intravenous injection, 273

Absorption, iron, influence of diet, interrelation of iron and phosphorus, 147

—, iron, influence of diet, pathology of iron excess, 137

Acid, amino, mixture, plasma, and ascitic fluid, parenterally administered, and ascitic fluid orally administered, effects in ascitic dog, 447

Acids, amino, pure, and casein digests, bile salt metabolism as influenced by, 461

—, nucleic, and production of antibody by plasma cells, 157

Adsorption and recovery of seed virus, host-virus interactions in chick embryo–influenza virus system, 1

Age of infection and size of inoculum, effect on curative dose of penicillin in infections with streptococci, pneumococci, and *Treponema pallidum*, 595

Albumin, egg, rôle of tubercle bacillus wax in establishing delayed hypersensitivity to, 53

Alimentary tract, antibody response of poliomyelitis patients to virus recovered from, 349

Amino acid mixture, plasma, and ascitic fluid, parenterally administered, and ascitic fluid orally administered, effects in ascitic dog, 447

— acids, pure, and casein digests, bile salt metabolism as influenced by, 461

Anemic and normal dogs, turpentine abscesses in, plasma and red cell radioiron following intravenous injection, 273

Antibacterial defense in lymph nodes, cellular mechanisms, origin and filtration effect of granulocytes in nodal sinuses during acute bacterial lymphadenitis, 567

— defense in lymph nodes, cellular mechanisms, pathogenesis of acute bacterial lymphadenitis, 555

Antibody production by plasma cells, relation to nucleic acids, 157

— production in rabbit lymph nodes, histochemical changes in lymphocytes during, 169

— response of poliomyelitis patients to virus recovered from their own alimentary tract, 349

Antigen, kidney, evidence of glomerular origin in nephrotoxic nephritis in rats, 267

—, protein, egg albumin, rôle of tubercle bacillus wax in establishing delayed hypersensitivity to, 53

—, specific, peptone, and polysaccharides, release of serum fibrinolysin by, 39

Antigenic azo proteins, blue, distribution and storage in tissues, 425

Antigens, somatic, of *Shigella sonnei*, and their susceptibility to bacterial viruses, relationship between, 255

Antisera, rabbit and human, inhibition of streptococcal desoxyribonuclease by, 543

Ascitic fluid, plasma, and amino acid mixture, parenterally administered, and ascitic fluid, orally administered, effects in ascitic dog, 447

Azo proteins, blue antigenic, distribution and storage in tissues, 425

BACILLUS, Friedländer, polysaccharide, inhibitory quantities, multiplication of mumps virus resistant variant in presence of, 393
—, tubercle, wax, rôle in establishing delayed hypersensitivity to egg albumin, 53
Bacterial lymphadenitis, acute, origin and filtration effect of granulocytes in nodal sinuses during, 567
— lymphadenitis, acute, pathogenesis, 555
— toxin, streptolysin S, formation by resting cells, 373
— viruses, susceptibility of somatic antigens of *Shigella sonnei* to, 255
Bacteriophage, relationship between somatic antigens of *Shigella sonnei* and their susceptibility to bacterial viruses, 255
Bile salt metabolism as influenced by pure amino acids and casein digests, 461
Biological properties and isolation of murine virus causing disseminated encephalomyelitis with extensive destruction of myelin, 181
Blood cell, red. *See* Erythrocyte.
— transfusions, effect on canine hemophilia, 97

CARDIOVASCULAR and renal lesions in rabbits, effects of horse serum fractions in producing, 577
Casein digests and pure amino acids, bile salt metabolism as influenced by, 461
Cattle, isolation from cases of infantile diarrhea of filtrable agent causing diarrhea in, 113
Cell, blood, red. *See* Erythrocyte.
Cells, host, propagation of influenza virus in conjunction with, in chick embryo–influenza virus system, 13
—, plasma, production of antibody by, relation to nucleic acids, 157
Cells, resting, formation of bacterial toxin, streptolysin S, by, 373
Cellular mechanisms of antibacterial defense in lymph nodes, origin and filtration effect of granulocytes in nodal sinuses during acute bacterial lymphadenitis, 567
— mechanisms of antibacterial defense in lymph nodes, pathogenesis of acute bacterial lymphadenitis, 555
Cirrhosis, dietary, of liver in rats, treatment, 73
Clots from purified bovine fibrinogen and thrombin, sequences in formation studied with electron microscope, 225
Clotting anomaly, course, and effect of blood transfusions in canine hemophilia, 97
Complement fixation activities, infectivity, and hemagglutination, development during first infectious cycle in chick embryo–influenza virus system, 23
Corpuscle, blood, red. *See* Erythrocyte.

DESOXYRIBONUCLEASE, streptococcal, inhibition by rabbit and human antisera, 543
Diarrhea, infantile, isolation from cases of filtrable agent causing diarrhea in calves, 113
Diet, influence on iron absorption, interrelation of iron and phosphorus, 147
—, influence on iron absorption, pathology of iron excess, 137
Dietary cirrhosis of liver in rats, treatment, 73
Digests, casein, and pure amino acids, bile salt metabolism as influenced by, 461
Dog hemophilia, course, clotting anomaly, and effect of blood transfusions, 97

Dose, curative, of penicillin in infections with streptococci, pneumococci, and *Treponema pallidum*, effect of size of inoculum and age of infection on, 595
Doses, graded immunizing, and challenge dose, relative significance in measuring potency of typhoid vaccine, 233

EGG albumin, rôle of tubercle bacillus wax in establishing delayed hypersensitivity to, 53
Electron microscope analysis of nerves infected with B virus, 291
— microscope, nerves infected with human poliomyelitis virus studied by means of, 283
— microscope, sequences in formation of clots from purified bovine fibrinogen and thrombin studied with, 225
Embryo, chick, and influenza virus, system, host-virus interactions, adsorption and recovery of seed virus, 1
—, chick, and influenza virus, system, host-virus interactions, development of infectivity, hemagglutination, and complement fixation activities during first infectious cycle, 23
—, chick, and influenza virus, system, host-virus interactions, propagation of virus in conjunction with host cells, 13
Emulsions, serum lipid, stabilization by serum phospholipids, 409
Encephalomyelitis, disseminated, in white mice, 213
—, disseminated, with extensive destruction of myelin, isolation and biological properties of murine virus causing, 181
—, disseminated, with extensive destruction of myelin, pathology of murine virus causing, 195
Enzyme systems and tissue metabolism, effect of podophyllotoxin, 525
Erythrocyte life cycle, hemoglobin labeled by radioactive lysine, 315
— radioiron and plasma following intravenous injection, turpentine abscesses in normal and anemic dogs, 273

FEVER production by single injections of influenzal viruses, 321
— production in rabbits by influenzal viruses, 335
Fibrinogen and thrombin, bovine, purified, sequences in formation of clots studied with electron microscope, 225
Fibrinolysin, serum, release by specific antigen, peptone, and polysaccharides, 39
Filtrable agent causing diarrhea in calves, isolation from cases of infantile diarrhea, 113
Filtration effect and origin of granulocytes in nodal sinuses during acute bacterial lymphadenitis, 567
Fluid, ascitic, plasma, and amino acid mixture, parenterally administered, and ascitic fluid, orally administered, effects in ascitic dog, 447
Friedländer bacillus polysaccharide, inhibitory quantities, multiplication of mumps virus resistant variant in presence of, 393

GLOMERULAR origin of kidney antigen in nephrotoxic nephritis in rats, 267
Granulocytes in nodal sinuses during acute bacterial lymphadenitis, origin and filtration effect, 567

HEMAGGLUTINATION, infectivity, and complement fixation activities, development during first infectious cycle in chick embryo–influenza virus system, 23

Hemagglutination, inhibition, and neutralization of infectivity by labile component of normal serum which combines with various viruses, 475
Hemoglobin labeled by radioactive lysine, erythrocyte life cycle, 315
Hemophilia, canine, course, clotting anomaly, and effect of blood transfusions, 97
Histochemical changes in lymphocytes during production of antibodies in rabbit lymph nodes, 169
Horse serum fractions, effects in producing cardiovascular and renal lesions in rabbits, 577
Hypersensitivity to egg albumin, delayed, rôle of tubercle bacillus wax in establishing, 53
Hypertension, spontaneous and nephrogenic, serial renal clearances in dogs with, 511

IMMUNIZING doses, graded, and challenge dose, relative significance in measuring potency of typhoid vaccine, 233
Infantile diarrhea, isolation from cases of filtrable agent causing diarrhea in calves, 113
Influenza virus–chick embryo system, host-virus interactions, adsorption and recovery of seed virus, 1
— virus–chick embryo system, host-virus interactions, development of infectivity, hemagglutination, and complement fixation activities during first infectious cycle, 23
— virus–chick embryo system, host-virus interactions, propagation of virus in conjunction with host cells, 13
Influenzal viruses in rabbits, production of fever by, 335
— viruses, production of fever by single injections, 321
Injection, intravenous, plasma and red cell radioiron following, turpentine abscesses in normal and anemic dogs, 273
Injections of influenza virus, single, production of fever by, 321
Inoculum, size, and age of infection, effect on curative dose of penicillin in infections with streptococci, pneumococci, and *Treponema pallidum*, 595
Iron absorption, influence of diet, interrelation of iron and phosphorus, 147
— absorption, influence of diet, pathology of iron excess, 137
—, radio–, red cell, and plasma following intravenous injection, turpentine abscesses in normal and anemic dogs, 273

KIDNEY antigen, evidence of glomerular origin in nephrotoxic nephritis in rats, 267
— and cardiovascular lesions in rabbits, effects of horse serum fractions in producing, 577
— clearances, serial, in dogs with nephrogenic and spontaneous hypertension, 511

LESIONS, cardiovascular and renal, in rabbits, effects of horse serum fractions in producing, 577
Lipid, serum, emulsions, stabilization by serum phospholipids, 409
Liver, rats, dietary cirrhosis, treatment, 73
Lymph nodes, cellular mechanisms of antibacterial defense in, origin and filtration effect of granulocytes in nodal sinuses during acute bacterial lymphadenitis, 567
— nodes, cellular mechanisms of antibacterial defense in, pathogenesis of acute bacterial lymphadenitis, 555
— nodes, rabbit, histochemical changes in lymphocytes during production of antibodies in, 169
— transport, possible intrinsic mechanism of lymphatic vessels for, 497

Lymphadenitis, acute bacterial, origin and filtration effect of granulocytes in nodal sinuses during, 567
—, acute bacterial, pathogenesis, 555
Lymphatic contractility, possible intrinsic mechanism of lymphatic vessels for lymph transport, 497
Lymphocytes, histochemical changes during production of antibodies in rabbit lymph nodes, 169
Lysine, radioactive, hemoglobin labeled by, erythrocyte life cycle, 315
—, radioactive, protein metabolism studied with, 297

MAN, poliomyelitis virus, nerves infected with, studied by means of electron microscope, 283
— and rabbit, antisera, inhibition of streptococcal desoxyribonuclease by, 543
Metabolism, bile salt, as influenced by pure amino acids and casein digests, 461
— and exchange of proteins, as influenced by vena cava constriction, effects of parenterally administered plasma, amino acid mixture, and ascitic fluid, and of orally administered ascitic fluid in ascitic dog, 447
—, protein, studied with radioactive lysine, 297
—, tissue, and enzyme systems, effect of podophyllotoxin, 525
Microscope, electron, analysis of nerves infected with B virus, 291
—, electron, nerves infected with human poliomyelitis virus studied by means of, 283
—, electron, sequences in formation of clots from purified bovine fibrinogen and thrombin studied with, 225
Mouse virus causing disseminated encephalomyelitis with extensive destruction of myelin, isolation and biological properties, 181
— virus causing disseminated encephalomyelitis with extensive destruction of myelin, pathology, 195
Mouth, ascitic fluid administered by, and plasma, amino acid mixture, and ascitic fluid, parenterally administered, effects in ascitic dog, 447
Mumps virus, resistant variant, multiplication in presence of inhibitory quantities of Friedländer bacillus polysaccharide, 393
Myelin, isolation and biological properties of murine virus causing disseminated encephalomyelitis with extensive destruction of, 181
—, pathology of murine virus causing disseminated encephalomyelitis with extensive destruction of, 195

NEPHRITIS in rats, nephrotoxic, evidence for glomerular origin of kidney antigen, 267
Nephrogenic and spontaneous hypertension, serial renal clearances in dogs with, 511
Nephrotoxic nephritis in rats, evidence for glomerular origin of kidney antigen, 267
Nerves infected with B virus, electron microscope analysis, 291
— infected with human poliomyelitis virus studied by means of electron microscope, 283
Nodes, lymph, cellular mechanisms of antibacterial defense in, origin and filtration effect of granulocytes in nodal sinuses during acute bacterial lymphadenitis, 567
—, lymph, cellular mechanisms of antibacterial defense in, pathogenesis of acute bacterial lymphadenitis, 555

Nodes, lymph, rabbit, histochemical changes in lymphocytes during production of antibodies in, 169
Nucleic acids and production of antibody by plasma cells, 157

PATHOGENESIS of acute bacterial lymphadenitis, 555
Pathology of iron excess, influence of diet on iron absorption, 137
— of murine virus causing disseminated encephalomyelitis with extensive destruction of myelin, 195
Penicillin in infections with streptococci, pneumococci, and *Treponema pallidum*, effect of size of inoculum and age of infection on curative dose, 595
Peptone, specific antigen, and polysaccharides, release of serum fibrinolysin by, 39
Phage. *See* Bacteriophage.
Phagocytosis, surface, inhibition by capsular slime layer of Pneumococcus Type III, 85
Phospholipids, serum, stabilization of serum lipid emulsions by, 409
Phosphorus and iron, interrelation, influence of diet on iron absorption, 147
Plasma, amino acid mixture, and ascitic fluid parenterally administered, and ascitic fluid orally administered, effects in ascitic dog, 447
— cells, antibody production by, relation to nucleic acids, 157
— proteins, synthesis and utilization, studied with radioactive lysine, 297
— and red cell radioiron following intravenous injection, turpentine abscesses in normal and anemic dogs, 273
Pneumococci, streptococci, and *Treponema pallidum*, effect of size of inoculum and age of infection on curative dose of penicillin in infections with, 595
Pneumococcus Type III, capsular slime layer, inhibition of surface phagocytosis by, 85
Podophyllotoxin, effect on tissue metabolism and enzyme systems, 525
Poliomyelitis patients, antibody response to virus recovered from their own alimentary tract, 349
— virus, human, electron microscope study of nerves infected with, 283
Polysaccharide, Friedländer bacillus, inhibitory quantities, multiplication of mumps virus resistant variant in presence of, 393
Polysaccharides, specific antigen, and peptone, release of serum fibrinolysin by, 39
Protein antigen, egg albumin, rôle of tubercle bacillus wax in establishing delayed hypersensitivity to, 53
—, azo, blue antigenic, distribution and storage in tissues, 425
— metabolism and exchange as influenced by vena cava constriction, effects of parenterally administered plasma, amino acid mixture, and ascitic fluid, and of orally administered ascitic fluid in ascitic dog, 447
— metabolism studied with radioactive lysine, 297
Pyrogenic effect of influenzal viruses in rabbits, tolerance to, 335

RADIOACTIVE lysine, hemoglobin labeled by, erythrocyte life cycle, 315
— lysine, protein metabolism studied with, 297
Radioiron, red cell, and plasma following intravenous injection, turpentine abscesses in normal and anemic dogs, 273
Renal *See* Kidney.

Ribonuclease, desoxy-, streptococcal, inhibition by rabbit and human antisera, 543

SALT, bile, metabolism, as influenced by pure amino acids and casein digests, 461
Serum fibrinolysin, release by specific antigen, peptone, and polysaccharides, 39
— fractions, horse, effects in producing cardiovascular and renal lesions in rabbits, 577
— lipid emulsions, stabilization by serum phospholipids, 409
—, normal, labile component which combines with various viruses, neutralization of infectivity and inhibition of hemagglutination by component, 475
Shigella sonnei, somatic antigens, and their susceptibility to bacterial viruses, relationship between, 255
Sinuses, nodal, during acute bacterial lymphadenitis, origin and filtration effect of granulocytes in, 567
Specific antigen, peptone, and polysaccharides, release of serum fibrinolysin by, 39
Streptococcal desoxyribonuclease, inhibition by rabbit and human antisera, 543
Streptococci, pneumococci, and *Treponema pallidum*, effect of size of inoculum and age of infection on curative dose of penicillin in infections with, 595
Streptolysin S, formation by resting cells, 373
Susceptibility of somatic antigens of *Shigella sonnei* to bacterial viruses, 255

THROMBIN and fibrinogen, bovine, purified, sequences in formation of clots studied with electron microscope, 225
Tissue metabolism and enzyme systems, effect of podophyllotoxin, 525
Tissues, distribution and storage of blue antigenic azo proteins in, 425
Toxin, bacterial, streptolysin S, formation by resting cells, 373
Transfusions, blood, effect on canine hemophilia, 97
Treponema pallidum, streptococci, and pneumococci, effect of size of inoculum and age of infection on curative dose of penicillin in infections with, 595
Tubercle bacillus wax, rôle in establishing delayed hypersensitivity to egg albumin, 53
Turpentine abscesses in normal and anemic dogs, plasma and red cell radioiron following intravenous injection, 273
Typhoid vaccine, mouse protection by, 233

VACCINES, potency, relative significance of graded immunizing and challenge doses in measuring, mouse protection by typhoid vaccine, 233
Vena cava constriction influencing protein metabolism and exchange, effects of parenterally administered plasma, amino acid mixture, and ascitic fluid, and of orally administered ascitic fluid in ascitic dog, 447
Virus, B, electron microscope analysis of nerves infected with, 291
—, mumps, resistant variant, multiplication in presence of inhibitory quantities of Friedländer bacillus polysaccharide, 393
—, murine, causing disseminated encephalomyelitis with extensive destruction of myelin, isolation and biological properties, 181
—, murine, causing disseminated encephalomyelitis with extensive destruction of myelin, pathology, 195
—, poliomyelitis, from alimentary tract, antibody response of same patients to, 349

Virus, poliomyelitis, human, electron microscope study of nerves infected with, 283
Virus-host interactions in chick embryo–influenza virus system, adsorption and recovery of seed virus, 1
— interactions in chick embryo–influenza virus system, development of infectivity, hemagglutination, and complement fixation activities during first infectious cycle, 23
— interactions in chick embryo–influenza virus system, propagation of virus in conjunction with host cells, 13
Viruses, bacterial, susceptibility of somatic antigens of *Shigella sonnei* to, 255
—, influenzal, in rabbits, production of fever by, 335
—, influenzal, production of fever by single injections, 321
—, labile component of normal serum which combines with various viruses, neutralization of infectivity and inhibition of hemagglutination by component, 475

WAX of tubercle bacillus, rôle in establishing delayed hypersensitivity to egg albumin, 53